




ThinkVision S65 iLFD

The Future of Education




ThinkVision S65 iLFD is designed to support the classrooms of the future. Brand new UI and UE make teaching more pleasant than ever with its intuitive user interface and enhanced permission management. WiFi 6 and Gbps LAN ensure that you always have lightning-fast access to all the internet's resources. Support for our Tiny PCs/Chrome Box allows you to convert the iLFD into a Windows/Chrome solution.

Use apps for flexibility and convenience




Experience apps in window mode for enhanced flexibility and ease of use.




Easily share documents via QR code, Google Drive, One Drive, and Email.

Rely on the built-in security measures



Clear cache data, document, and website historical data in settings.



Enhanced permission management ensures security, only allowing your IT manager to change settings or install apps.


1. Take Presentations and Demonstrations to the next level

- **Content that's crystal clear**

Present content with unparalleled clarity on the super bright 400nit display. The display's built-in Natural Low Blue Light technology keeps the eyes of your entire class safe from strain without any color distortion, ensuring that all content looks completely clear and color accurate.

- **Designed for interactivity and safety**


Easily interact with any content on screen with its 20-touchpoint capability, which also allows for co-creation. Experience improved accessibility by easily reaching to the top of the large display just by pulling down on it.




2. Teaching that's more engaging than ever

- **Additional education tools**


The iLFD comes with abundant built-in tools, designed to help make teaching more intuitive, interesting and convenient, allowing teachers to efficiently create content and pique the curiosity of students.



Smart tools




Sticky notes




Mind map

- **Easier for demonstration & interaction**


Make teaching more interactive and convenient than ever before. Add pictures, office documents and web pages to your presentations to make them more engaging. Boost class participation by allowing multiple students to work on the screen at once and share assignments and files with the class easily.



Inserting documents



Split screen mode




Easy to save & share



- **Cloud iWB for co-creation**

Teaching sessions will now be more participative by allowing the class to engage and interact with the content using Cloud iWB's co-create function. Class participation helps students retain more information and improve their learning. The ability to interact with the content in class makes the process of classroom learning a lot more interactive, rich, and fun.



STUDENT 1



STUDENT 2



3. Experience unparalleled convenience


iLFD makes having to stand right next to a whiteboard a thing of the past.

- **One-cable wired connection**

Whether it be external storage devices with class content or peripherals for presenting, connecting external devices to the iLFD is a breeze with the availability of many ports. Enjoy the convenience of single cable connection to the display using the USB-C port, along with the benefit of up to 65W charging so that your device never runs out of power.

- **Cast content wirelessly**

Allow students to participate in class with their mobiles/tablets while teachers teach, or cast content such as quizzes, videos, or other content from mobile devices onto the iLFD easily and seamlessly, giving teachers the freedom to move around the class while teaching.



Or



**Wireless
Casting**



Lenovo

ThinkVision S65 iLFD Monitor Specs

Display		Smart System		Multimedia		What's in the Box	
Display Size 65-inch		Memory 4 GB		Storage 32 GB		Monitor with Wall Mount Bracket Yes	
Panel Type VA				Integrated Speakers Yes (2 x 15W)		Power Cable (Cable Length) 1 x Power Cable (3 m)	
Active Area 1428.5 mm x 803.5 mm				Sensor 1 x Ambient Light Sensor		HDMI Cable (Cable Length) 1 x HDMI Cable (3 m)	
Aspect Ratio 16:9		Connectivity				USB Cable (Cable Length) 1 x USB Type-B to Type-A Cable (3 m)	
Resolution 3840 x 2160		Wired 1 x RJ45		Power		Remote Control with Battery Yes	
Viewing Angle (H x V @ CR 10:1) 178° / 178°		WiFi 1 IEEE 802.11a/b/g/n/ac (both 2.4 and 5 GHz bands), Bluetooth® 5.1		Power Supply External		Stylus Yes (2 x Stylus)	
Response Time 6.5ms		WiFi 2 IEEE 802.11a/b/g/n/ac/ax (both 2.4 and 5 GHz bands), Bluetooth® 5.2		Voltage Required AC 100 to 240 V (50-60Hz)		Quick Setup Guide and Warranty Booklet Yes	
Refresh Rate 60Hz		I/O Ports		Mechanical Structure		Certification	
Brightness (Typical) 400 cd/m²		Front Ports 1 x USB Type-C¹ Gen 1 (DP 1.2 Alt Mode) 2 x USB 3.0 1 x HDMI 2.0		VESA Mount 500 x 400 mm		CB Yes	
Brightness (Peak) 450 cd/m²		Rear Ports 1 x HDMI 2.0 1 x Touch USB Type-B 1 x USB 3.0 1 x USB 2.0 1 x VGA 1 x RJ45 1 x RS232 1 x HDMI-Out 2.0 1 x LINE-Out (3.5 mm)		Handle 2		IC ID Yes	
Contrast Ratio (Typical) 4000:1				Size Packed (D x H x W) 1690.0 x 1195.0 x 210.0 mm		REACH Yes	
Color Support (Typical) 1.07 Billion				Size Unpacked with Wall Mount (D x H x W) 1487.2 x 916.6 x 117.3 mm		PSB Yes	
Anti-glare (Panel) Yes				Size Unpacked without Wall Mount (D x H x W) 1487.2 x 916.6 x 90.0 mm		WPC Yes	
Touch				Weight Packed 57.1 kg		IMDA Yes	
Touch Technology Infrared Touch	Glass Type 3.2 mm, Anti-glare			Weight Unpacked with Wall Mount 40.5 kg		RCM Yes	
Multi-touch Capability 20 Touchpoints	Glass Hardness 8H (Pencil Hardness)			Weight (Display Only) 39.2 kg		CA65 Yes	
Touch Accuracy 1 mm						UL-VOC Yes	
						CE-LVD Yes	
						C-Tick Yes	
						CE-EMC Yes	
						UKCA Yes	
						ENERGY STAR 8.0 Yes	
						CEC Yes	
						FCC SDoc Yes	
						FCC ID Yes	
						ERP Yes	
						Eyesafe 2.0 Yes	
						TÜV Eye Comfort Yes	
						HDMI Compliance Yes	
						USB-IF Yes	

¹USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.
This datasheet is for BETT in March 2023 only. Images and specs may change until the final release of the product.

