## **ThinkPad Tablet 2**





Lenovo ThinkPad Tablet 2











Lenovo ThinkPad Tablet 2 with ThinkPad Tablet 2 Dock 0B47109

# ThinkPad Tablet 2 (3679) - TopSeller

| Type-model | Processor  | Memory | Widescree | n<br>Storage | Tablet<br>Pen | Camera<br>Front/<br>Rear (MP) | Bluetooth<br>Keyboard<br>w/ Stand | WLAN<br>802.11          | PCIe<br>Mini Card<br>WWAN | SIM card   | NFC  | Blue- | Preload      | Ann<br>Date<br>(mm/yy) |
|------------|------------|--------|-----------|--------------|---------------|-------------------------------|-----------------------------------|-------------------------|---------------------------|------------|------|-------|--------------|------------------------|
| 3679-23G   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | No            | 2.0/8.0                       | None                              | 11a/b/g/n <sup>28</sup> |                           | None       | None |       | Win8 32      | 10/12                  |
| 3679-24G   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | Ericsson                  | selectable | None |       | Win8 Pro32   | 12/12                  |
| 3679-25G   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | Ericsson                  | selectable | NFC  | ВТ    | Win8 Pro32   | 12/12                  |
| 3679-2PG   | Atom Z2760 | 2GB    | 10.1" HD  | 32G          | No            | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | None | BT    | Win8 32      | 12/12                  |
| 3679-4HG   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | No            | 2.0/8.0                       | None                              | 11a/b/g/n               | Ericsson                  | selectable | None | BT    | Win8 32      | 12/12                  |
| 3679-5KG   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | NFC  | BT    | Win8 Pro32   | 04/13                  |
| 3679-6KG   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | NFC  | BT    | Win8.1 Pro32 | 2 01/14                |
| 3679-6JG   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | Ericsson                  | selectable | NFC  | BT    | Win8.1 Pro32 | 2 01/14                |
| 3679-6EG   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | None | BT    | Win8.1 Pro32 | 2 01/14                |
| 3679-6ZG   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | Keyboard                          | 11a/b/g/n               | Ericsson                  | selectable | NFC  | BT    | Win8.1 Pro32 | 2 02/14                |
| 3679-6YG   | Atom Z2760 | 2GB    | 10.1" HD  | 64G          | Pen           | 2.0/8.0                       | Keyboard                          | 11a/b/g/n               | None                      | None       | None | BT    | Win8.1 Pro32 | 2 02/14                |

### $\bullet$ Small and medium business (SMB) model(s), part of the WE TopSeller $^{\text{\tiny{TM}}}$ Program

| Positioning  | Touchscreen tablet for on-the-go business   | Preloaded operating system <sup>20</sup>   |
|--|---|--|
| Processor  | Intel® Atom™ Processor Z2760 (2 cores, 1.80GHz, 1MB cache),<br>LPDDR2 memory controller (800MHz), HT technology   | - Some: Windows® 8 32-bit<br>- Some: Windows 8 Pro 32-bit<br>- Some: Windows 8.1 Pro 32-bit  |
| Memory   | 2GB / 800MHz LPDDR2, mobile DDR / soldered to systemboard, no sockets   |  |
| Storage<br>Storage extension                           | 32GB or 64GB / eMMC (embedded Multi Media Card) flash memory on board<br>n One microSD Card slot, supports up to 32GB   | Preloaded applications <sup>14</sup> (only some listed)  • Lenovo® Support   |
| Graphics   | PowerVR™ SGX545 graphics in Intel Atom SoC,   | Lenovo Companion   |
| Display  Tablet pen                                    | supports 1080p video out via mini-HDMI™ connector, HDCP-compliant  10.1" (256.5mm) HD (1366x768) TFT color, anti-reflective display with infinity AGC Dragontrail™ Glass, LED backlight, 400 nits, 16:9 aspect ratio, 500:1 contrast ratio, IPS, WideView (170° viewing), MultiTouch screen supports five-finger gesture  Some: ThinkPad Tablet 2 Digitizer Pen (0A33899), supports hover, tip, and pressure modes / a button for selection / no batteries required  *The models without Tablet Pen can not support pen input function via optional ThinkPad Tablet 2 Digitizer Pen (0A33899) | <ul> <li>Password Manager</li> <li>Norton™ Internet Security<br/>(30 days of virus definitions)</li> <li>ThinkVantage System Update</li> </ul> |
| Camera Video capture                                   | Front camera: 2.0-megapixel, fixed focus Rear camera: 8.0-megapixel, auto focus, flash LED 720p video capture   |  |
| Audio support  | Realtek ALC5642 codec / stereo speakers, 0.5 watt x 2 / dual array digital microphone, combo audio/microphone jack  |  |
| Media capable  | Audio formats: MP3, AAC, AAC+, eAAC+, WAV, PCM, WMA<br>Video formats: MPEG-4, H.263, H.264, VC-1, WMV9, Xvid  |  |
| Control buttons<br>Bluetooth<br>Keyboard<br>with Stand | Windows button, Power button, volume control button, rotation lock switch, reset switch Some: ThinkPad Tablet 2 Bluetooth Keyboard with Stand (0B47270), 6-row, TrackPoint® pointing device w/ three mouse buttons, landscape stand included, connects system via bluetooth, sealed battery with 30-day battery life, chargeable via micro-USB (one USB to micro-USB cable included)  |  |
| Light sensor<br>G-sensor/<br>eCompass<br>Gyroscope     | Ambient Light Sensor, Capella CM3218 3D accelerometer and 3D magnetometer module, STMicroelectronics LSM303DLHC 3-axis gyroscope, STMicroelectronics L3G4200D   |  |
| Platform<br>Ports                                      | Intel Atom Z2760 SoC (System on Chip) platform One USB 2.0, one micro-USB 2.0 (only for power supply / charging), one mini-HDMI, headphone/microphone combo jack, one ThinkPad Tablet 2 Dock connector  |  |
| WLAN <sup>4</sup><br>WWAN                              | 11a/b/g/n <sup>28</sup> wireless, ThinkPad 11a/b/g/n, 1x1, WiFi + Bluetooth combo chip<br>Some: Wireless WAN, Ericsson® C5621 Mobile Broadband Module,<br>GPRS/WCDMA/HSPA/HSPA+   |  |
| SIM card<br>GNSS<br>Bluetooth™<br>NFC                  | Some: User selectable, contract required with service provider Global Navigation Satellite System Bluetooth 4.0 wireless, integrated in WiFi + Bluetooth combo chip Some: Near Field Communication, easy for two devices to communicate with each other   |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup>         | 10.34" x 6.48" x 0.39"; 262.6mm x 164.6mm x 9.8mm<br>WiFi only: from 1.26 lb (0.57kg);<br>WiFi + Digitizer Pen: from 1.30 lb (0.59kg);<br>WiFi + Digitizer Pen + WWAN:from 1.35 lb (0.61kg)   |  |
| Case color<br>Case material                            | Black<br>Magnesium frame, PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) cover  | 10-watt AC adapter (via micro-USB)<br>GREENGUARD® certified  |
| Battery - type<br>Battery - life <sup>10</sup>         | Lithium Polymer, 30Whr up to 25 days (standby); up to 150 hr (MP3 playback); up to 10 hr (web browsing with flash); up to 10 hr (local video playback)  | RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support                                    |
| Limited Warranty                                       | 12 1-year - depot repair service / service upgrades <sup>22</sup> available   | during the warranty period <sup>12</sup>   |

# ThinkPad Tablet 2 (3679) - TopSeller - II

| Type-model | Processor  | Memory | Widescreer<br>display | n<br>Storage | Tablet<br>Pen | Camera<br>Front/<br>Rear (MP) | Bluetooth<br>Keyboard<br>w/ Stand | WLAN<br>802.11          | PCIe<br>Mini Card<br>WWAN | SIM card   | NFC  | Blue-<br>tooth | Preload  | Ann<br>Date<br>(mm/yy) |
|------------|------------|--------|-----------------------|--------------|---------------|-------------------------------|-----------------------------------|-------------------------|---------------------------|------------|------|----------------|----------|------------------------|
| 3679-5ZG   | Atom Z2760 | 2GB    | 10.1" HD              | 32G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n <sup>28</sup> | None                      | None       | None | BT             | Win8 32  | 04/13                  |
| 3679-5UG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | Ericsson                  | selectable | None | BT             | Win8 32  | 04/13                  |
| 3679-5YG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | No            | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | None | BT             | Win8 32  | 12/13                  |
| 3679-5MG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | None | BT             | Win8 32  | 12/13                  |
| 3679-6GG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | Ericsson                  | selectable | None | BT             | Win8.1 3 | 2 01/14                |
| 3679-6DG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | Pen           | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | None | BT             | Win8.1 3 | 2 01/14                |
| 3679-6CG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | No            | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | None | BT             | Win8.1 3 | 2 01/14                |
| 3679-6BG   | Atom Z2760 | 2GB    | 10.1" HD              | 32G          | No            | 2.0/8.0                       | None                              | 11a/b/g/n               | None                      | None       | None | BT             | Win8.1 3 | 2 01/14                |
| 3679-6XG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | Pen           | 2.0/8.0                       | Keyboard                          | 11a/b/g/n               | Ericsson                  | selectable | None | BT             | Win8.1 3 | 2 02/14                |
| 3679-6WG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | Pen           | 2.0/8.0                       | Keyboard                          | 11a/b/g/n               | None                      | None       | None | BT             | Win8.1 3 | 2 02/14                |
| 3679-6VG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G          | No            | 2.0/8.0                       | Keyboard                          | 11a/b/g/n               | None                      | None       | None | BT             | Win8.1 3 | 2 02/14                |
| 3679-6UG   | Atom Z2760 | 2GB    | 10.1" HD              | 32G          | No            | 2.0/8.0                       | Keyboard                          | 11a/b/g/n               | None                      | None       | None | BT             | Win8.1 3 | 2 02/14                |

| Positioning  | Touchscreen tablet for on-the-go business  | Preloaded operating system <sup>20</sup>   |
|--|--|--|
| Processor  | Intel® Atom™ Processor Z2760 (2 cores, 1.80GHz, 1MB cache),<br>LPDDR2 memory controller (800MHz), HT technology  | - Windows® 8 32-bit<br>- Windows® 8.1 32-bit   |
| Memory   | 2GB / 800MHz LPDDR2, mobile DDR / soldered to systemboard, no sockets  | Preloaded applications <sup>14</sup> (only some  |
| Storage extension                                      | 32GB or 64GB / eMMC (embedded Multi Media Card) flash memory on board one microSD Card slot, supports up to 32GB   | listed)  • Microsoft Office Home and Student (included in Windows 8)   |
| Graphics   | PowerVR™ SGX545 graphics in Intel Atom SoC, supports 1080p video out via mini-HDMI™ connector, HDCP-compliant  | Lenovo® Support     Lenovo Companion   |
| Display Tablet pen                                     | 10.1" (256.5mm) HD (1366x768) TFT color, anti-reflective display with infinity AGC Dragontrail™ Glass, LED backlight, 400 nits, 16:9 aspect ratio, 500:1 contrast ratio, IPS, WideView (170° viewing), MultiTouch screen supports five-finger gesture Some: ThinkPad Tablet 2 Digitizer Pen (0A33899), supports hover, tip, and pressure modes / a button for selection / no batteries required *The models without Tablet Pen can not support pen input function via optional ThinkPad Tablet 2 Digitizer Pen (0A33899) | <ul> <li>Password Manager</li> <li>Norton™ Internet Security<br/>(30 days of virus definitions)</li> <li>ThinkVantage System Update</li> </ul> |
| Camera<br>Video capture                                | Front camera: 2.0-megapixel, fixed focus Rear camera: 8.0-megapixel, auto focus, flash LED 720p video capture  |  |
| Audio support  | Realtek ALC5642 codec / stereo speakers, 0.5 watt x 2 / dual array digital microphone, combo audio/microphone jack   |  |
| Media capable  | Audio formats: MP3, AAC, AAC+, eAAC+, WAV, PCM, WMA<br>Video formats: MPEG-4, H.263, H.264, VC-1, WMV9, Xvid   |  |
| Control buttons<br>Bluetooth<br>Keyboard<br>with Stand | Windows button, Power button, volume control button, rotation lock switch, reset switch Some: ThinkPad Tablet 2 Bluetooth Keyboard with Stand (0B47270), 6-row, TrackPoint® pointing device w/ three mouse buttons, landscape stand included, connects system via bluetooth, sealed battery with 30-day battery life, chargeable via micro-USB (one USB to micro-USB cable included)   |  |
| Light sensor<br>G-sensor/<br>eCompass<br>Gyroscope     | Ambient Light Sensor, Capella CM3218 3D accelerometer and 3D magnetometer module, STMicroelectronics LSM303DLHC 3-axis gyroscope, STMicroelectronics L3G4200D  |  |
| Platform<br>Ports                                      | Intel Atom Z2760 SoC (System on Chip) platform One USB 2.0, one micro-USB 2.0 (only for power supply / charging), one mini-HDMI, headphone/microphone combo jack, one ThinkPad Tablet 2 Dock connector   |  |
| WLAN <sup>4</sup><br>WWAN                              | 11a/b/g/n <sup>28</sup> wireless, ThinkPad 11a/b/g/n, 1x1, WiFi + Bluetooth combo chip<br>Some: Wireless WAN, Ericsson® C5621 Mobile Broadband Module,<br>GPRS/WCDMA/HSPA/HSPA+  |  |
| SIM card<br>GNSS<br>Bluetooth™<br>NFC                  | Some: User selectable, contract required with service provider Global Navigation Satellite System Bluetooth 4.0 wireless, integrated in WiFi + Bluetooth combo chip None   |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup>            | 10.34" x 6.48" x 0.39"; 262.6mm x 164.6mm x 9.8mm<br>WiFi only: from 1.26 lb (0.57kg);<br>WiFi + Digitizer Pen: from 1.30 lb (0.59kg);<br>WiFi + Digitizer Pen + WWAN:from 1.35 lb (0.61kg)  |  |
| Case color<br>Case material                            | Black Magnesium frame, PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) cover  | 10-watt AC adapter (via micro-USB) GREENGUARD® certified   |
| Battery - type<br>Battery - life <sup>10</sup>         | Lithium Polymer, 30Whr up to 25 days (standby); up to 150 hr (MP3 playback); up to 10 hr (web browsing with flash); up to 10 hr (local video playback)   | RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day <sup>18</sup> toll-free support                                    |
| Limited Warranty <sup>1</sup>                          | <sup>2</sup> 1-year - depot repair service / service upgrades <sup>22</sup> available  | during the warranty period <sup>12</sup>   |

# ThinkPad Tablet 2 (3682)

| Type-model | Processor  |     | Videscreer<br>display |     | Tablet<br>Pen |         | Bluetooth<br>Keyboard<br>w/ Stand | I WLAN                  | PCIe<br>Mini Card<br>WWAN | SIM card   | NFC  | Glo<br>Blue-<br>tooth |   |            | Ann<br>Date<br>(mm/yy) |
|------------|------------|-----|-----------------------|-----|---------------|---------|-----------------------------------|-------------------------|---------------------------|------------|------|-----------------------|---|------------|------------------------|
| 3682-28G   | Atom Z2760 | 2GB | 10.1" HD              | 64G | Pen           | 2.0/8.0 | None                              | 11a/b/g/n <sup>28</sup> | None                      | None       | None | ВТ                    | G | Win8 Pro32 | 10/12                  |
| 3682-29G   | Atom Z2760 | 2GB | 10.1" HD              | 64G | Pen           | 2.0/8.0 | None                              | 11a/b/g/n               | None                      | None       | NFC  | BT                    | G | Win8 Pro32 | 10/12                  |
| 3682-25G   | Atom Z2760 | 2GB | 10.1" HD              | 32G | No            | 2.0/8.0 | None                              | 11a/b/g/n               | None                      | None       | None | BT                    |   | Win8 32    | 12/12                  |
| 3682-42G   | Atom Z2760 | 2GB | 10.1" HD              | 64G | No            | 2.0/8.0 | None                              | 11a/b/g/n               | Ericsson                  | selectable | None | BT                    |   | Win8 Pro32 | 12/12                  |
| 3682-4FG   | Atom Z2760 | 2GB | 10.1" HD              | 64G | Pen           | 2.0/8.0 | None                              | 11a/b/g/n               | Ericsson                  | selectable | NFC  | BT                    |   | Win8 Pro32 | 12/12                  |

| Positioning  | Touchscreen tablet for on-the-go business   | Preloaded operating system <sup>20</sup>  |
|--|---|---|
| Processor  | Intel® Atom™ Processor Z2760 (2 cores, 1.80GHz, 1MB cache),<br>LPDDR2 memory controller (800MHz), HT technology   | - Some: Windows® 8 32-bit<br>- Some: Windows 8 Pro 32-bit   |
| Memory   | 2GB / 800MHz LPDDR2, mobile DDR / soldered to systemboard, no sockets   | Preloaded applications <sup>14</sup> (only some   |
| Storage extension                                      | 32GB or 64GB / eMMC (embedded Multi Media Card) flash memory on board n One microSD Card slot, supports up to 32GB  | listed)  • Lenovo® Settings  • Lenovo Support   |
| Graphics   | PowerVR™ SGX545 graphics in Intel Atom SoC,   | Lenovo Companion  |
| Display  Tablet pen                                    | supports 1080p video out via mini-HDMI™ connector, HDCP-compliant  10.1" (256.5mm) HD (1366x768) TFT color, anti-reflective display with infinity AGC Dragontrail™ Glass, LED backlight, 400 nits, 16:9 aspect ratio, 500:1 contrast ratio, IPS, WideView (170° viewing), MultiTouch screen supports five-finger gesture  Some: ThinkPad Tablet 2 Digitizer Pen (0A33899), supports hover, tip, and pressure modes / a button for selection / no batteries required  *The models without Tablet Pen can not support pen input function via optional ThinkPad Tablet 2 Digitizer Pen (0A33899) | Lenovo QuickSnip     Lenovo Mobile Access     Lenovo Cloud Storage     by SugarSync     Password Manager     Norton™ Internet Security 2012     (30 days of virus definitions)     ThinkVantage System Update     AccuWeather |
| Camera Video capture                                   | Front camera: 2.0-megapixel, fixed focus Rear camera: 8.0-megapixel, auto focus, flash LED 720p video capture   | Evernote®     Nitro PDF     Skype™  |
| Audio support  | Realtek ALC5642 codec / stereo speakers, 0.5 watt x 2 / dual array digital microphone, combo audio/microphone jack  | Amazon Kindle   |
| Media capable  | Audio formats: MP3, AAC, AAC+, eAAC+, WAV, PCM, WMA<br>Video formats: MPEG-4, H.263, H.264, VC-1, WMV9, Xvid  |   |
| Control buttons<br>Bluetooth<br>Keyboard<br>with Stand | Windows button, Power button, volume control button, rotation lock switch, reset switch Some: ThinkPad Tablet 2 Bluetooth Keyboard with Stand (0B47270), 6-row, TrackPoint® pointing device w/ three mouse buttons, landscape stand included, connects system via bluetooth, sealed battery with 30-day battery life, chargeable via micro-USB (one USB to micro-USB cable included)  |   |
| Light sensor<br>G-sensor/<br>eCompass<br>Gyroscope     | Ambient Light Sensor, Capella CM3218 3D accelerometer and 3D magnetometer module, STMicroelectronics LSM303DLHC 3-axis gyroscope, STMicroelectronics L3G4200D   |   |
| Platform<br>Ports                                      | Intel Atom Z2760 SoC (System on Chip) platform One USB 2.0, one micro-USB 2.0 (only for power supply / charging), one mini-HDMI, headphone/microphone combo jack, one ThinkPad Tablet 2 Dock connector  |   |
| WLAN <sup>4</sup><br>WWAN                              | 11a/b/g/n <sup>28</sup> wireless, ThinkPad 11a/b/g/n, 1x1, WiFi + Bluetooth combo chip<br>Some: Wireless WAN, Ericsson® C5621 Mobile Broadband Module,<br>GPRS/WCDMA/HSPA/HSPA+   |   |
| SIM card<br>GNSS<br>Bluetooth™<br>NFC                  | Some: User selectable, contract required with service provider Global Navigation Satellite System Bluetooth 4.0 wireless, integrated in WiFi + Bluetooth combo chip Some: Near Field Communication, easy for two devices to communicate with each other   |   |
| Dimensions <sup>3</sup> Weight <sup>2</sup>            | 10.34" x 6.48" x 0.39"; 262.6mm x 164.6mm x 9.8mm<br>WiFi only: from 1.26 lb (0.57kg);<br>WiFi + Digitizer Pen: from 1.30 lb (0.59kg);<br>WiFi + Digitizer Pen + WWAN:from 1.35 lb (0.61kg)   |   |
| Case color<br>Case material                            | Black Magnesium frame, PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) cover   | 10-watt AC adapter (via micro-USB)  |
| Battery - type<br>Battery - life <sup>10</sup>         | Lithium Polymer, 30Whr<br>up to 25 days (standby); up to 150 hr (MP3 playback);<br>up to 10 hr (web browsing with flash); up to 10 hr (local video playback)  | GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day¹8 toll-free support   |
| Limited Warranty                                       | 121-year - depot repair service / service upgrades <sup>22</sup> available  | during the warranty period <sup>12</sup>  |

| Type-model | Processor  | Memory | Widescreen<br>display | Storage | Tablet<br>Pen | Camera<br>Front/<br>Rear (MP) | Bluetooth<br>Keyboard<br>w/ Stand |                         | PCIe<br>Mini Card<br>WWAN | SIM card   | NFC | Blue-<br>tooth | Preload | Ann<br>Date<br>(mm/yy) |
|------------|------------|--------|-----------------------|---------|---------------|-------------------------------|-----------------------------------|-------------------------|---------------------------|------------|-----|----------------|---------|------------------------|
| 3682-4QG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G     | No            | 2.0/8.0                       | None                              | 11a/b/g/n <sup>28</sup> | None                      | None       | NFC | BT             | Win8 32 | 06/13                  |
| 3682-4PG   | Atom Z2760 | 2GB    | 10.1" HD              | 64G     | No            | 2.0/8.0                       | None                              | 11a/b/g/n               | Ericsson                  | selectable | NFC | BT             | Win8 32 | 06/13                  |

| Positioning  | Touchscreen tablet for on-the-go business  | Preloaded operating system <sup>20</sup>  |
|--|--|---|
| Processor  | Intel® Atom™ Processor Z2760 (2 cores, 1.80GHz, 1MB cache), LPDDR2 memory controller (800MHz), HT technology   | - Windows® 8 32-bit  Preloaded applications¹⁴ (only some  |
| Memory   | 2GB / 800MHz LPDDR2, mobile DDR / soldered to systemboard, no sockets  | listed)   |
| Storage extension                                      | 32GB or 64GB / eMMC (embedded Multi Media Card) flash memory on board none microSD Card slot, supports up to 32GB  | Microsoft Office Home and Student<br>(included in Windows 8)     Lenovo® Settings   |
| Graphics<br>Display                                    | PowerVR™ SGX545 graphics in Intel Atom SoC, supports 1080p video out via mini-HDMI™ connector, HDCP-compliant 10.1" (256.5mm) HD (1366x768) TFT color, anti-reflective display with infinity AGC Dragontrail™ Glass,   | Lenovo Support     Lenovo Companion     Lenovo QuickSnip  |
| Tablet pen   | LED backlight, 400 nits, 16:9 aspect ratio, 500:1 contrast ratio, IPS, WideView (170° viewing), MultiTouch screen supports five-finger gesture None *The models without Tablet Pen can not support pen input function via optional ThinkPad Tablet 2 Digitizer Pen (0A33899)   | Lenovo Mobile Access     Lenovo Cloud Storage     by SugarSync     Password Manager     Norton™ Internet Security 2012     (30 days of virus definitions) |
| Camera Video capture                                   | Front camera: 2.0-megapixel, fixed focus Rear camera: 8.0-megapixel, auto focus, flash LED 720p video capture  | ThinkVantage System Update     AccuWeather     Evernote®  |
| Audio support  | Realtek ALC5642 codec / stereo speakers, 0.5 watt x 2 / dual array digital microphone, combo audio/microphone jack   | Nitro PDF Skype™ Amazon Kindle  |
| Media capable  | Audio formats: MP3, AAC, AAC+, eAAC+, WAV, PCM, WMA<br>Video formats: MPEG-4, H.263, H.264, VC-1, WMV9, Xvid   | ,   |
| Control buttons<br>Bluetooth<br>Keyboard<br>with Stand | Windows button, Power button, volume control button, rotation lock switch, reset switch Some: ThinkPad Tablet 2 Bluetooth Keyboard with Stand (0B47270), 6-row, TrackPoint® pointing device w/ three mouse buttons, landscape stand included, connects system via bluetooth, sealed battery with 30-day battery life, chargeable via micro-USB (one USB to micro-USB cable included) |   |
| Light sensor<br>G-sensor/<br>eCompass<br>Gyroscope     | Ambient Light Sensor, Capella CM3218 3D accelerometer and 3D magnetometer module, STMicroelectronics LSM303DLHC 3-axis gyroscope, STMicroelectronics L3G4200D  |   |
| Platform<br>Ports                                      | Intel Atom Z2760 SoC (System on Chip) platform One USB 2.0, one micro-USB 2.0 (only for power supply / charging), one mini-HDMI, headphone/microphone combo jack, one ThinkPad Tablet 2 Dock connector   |   |
| WLAN <sup>4</sup><br>WWAN                              | 11a/b/g/n <sup>28</sup> wireless, ThinkPad 11a/b/g/n, 1x1, WiFi + Bluetooth combo chip<br>Some: Wireless WAN, Ericsson® C5621 Mobile Broadband Module,<br>GPRS/WCDMA/HSPA/HSPA+  |   |
| SIM card<br>GNSS<br>Bluetooth™<br>NFC                  | Some: User selectable, contract required with service provider Global Navigation Satellite System Bluetooth 4.0 wireless, integrated in WiFi + Bluetooth combo chip Near Field Communication, easy for two devices to communicate with each other  |   |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup>         | 10.34" x 6.48" x 0.39"; 262.6mm x 164.6mm x 9.8mm<br>WiFi only: from 1.26 lb (0.57kg);<br>WiFi + Digitizer Pen: from 1.30 lb (0.59kg);<br>WiFi + Digitizer Pen + WWAN:from 1.35 lb (0.61kg)  |   |
| Case color<br>Case material                            | Black Magnesium frame, PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) cover  | 10-watt AC adapter (via micro-USB)  |
| Battery - type<br>Battery - life <sup>10</sup>         | Lithium Polymer, 30Whr<br>up to 25 days (standby); up to 150 hr (MP3 playback);<br>up to 10 hr (web browsing with flash); up to 10 hr (local video playback)   | GREENGUARD® certified RoHS-compliant International Warranty Service <sup>17</sup> 24 hour x 7 day¹8 toll-free support                                     |
| Limited Warranty <sup>1</sup>                          | <sup>2</sup> 1-year - depot repair service / service upgrades <sup>22</sup> available  | during the warranty period <sup>12</sup>  |