# **OVERVIEW**



1. Power connector	4. DisplayPort 1.4
2. HDMI 2.1 TMDS	5. Audio line-out (3.5mm)
3. HDMI 2.1 TMDS	

# PERFORMANCE

### Panel

Panel

3-side NearEdgeless, VA

#### Backlight

WLED

### **Display Size**

27 inches

### Max View Area

Active Area: 597.9 x 336.3 mm

### Resolution

1920 x 1080

### Aspect Ratio

16:9

### **Pixel Pitch**

0.311 x 0.311 mm

## Dot / Pixel Per Inch

## 82 dpi

Brightness

### 350 cd/m²

#### **Contrast Ratio**

- Contrast Ratio: 3000:1
- Dynamic Contrast Ratio (Typical): 3000000:1

### View Angle (H / V)

Horizontal: 178°, Vertical: 178°

### **Response Time**

- Moving Picture Response Time (MPRT) improves the response time and reduces motion blur in the monitor. Enabling MPRT will disable AMD FreeSync<sup>™™</sup> technology, and may causes a negligible flicker.
- Moving Picture Response Time (MPRT): 1 ms
- Level 1: 7 ms
- Level 2: 6 ms
- Level 3: 5 ms
- Level 4: 4 ms

### **Refresh Rate**

165Hz

**Color Gamut** 

- 123% sRGB, 93% DCI-P3
- 99% sRGB, 90% DCI-P3

### **Color Support**

16.7 Million

### **Color Depth**

8-bit

### **Screen Surface Treatment**

Anti-glare

Curvature

1500R

### **Operating System**

### **Operating System**

- Windows® 11 Support
- Windows® 10 Support

Lenovo

## Multi-Media

### Speakers

Integrated Speakers, 3W x2

## **Power Supply**

### **Power Consumption**

- Typical / Max: 22W / 49W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W

### Voltage Required

AC 100 to 240 V (50-60Hz)

### Special Features

### **Special Features**

- HDR Compliance
- Processor LUT: 8 bit
- AMD FreeSync™ Premium
- AMD FreeSync<sup>™</sup> technology only can work with AMD Radeon<sup>™</sup> series graphics card.
  Lenovo<sup>®</sup> Artery (Lenovo<sup>®</sup> Accessories and Display Manager) Support
- Lenovo® Artery supports Windows® 10 & 11, Mac OS, and Windows® On Arm (functions vary across systems). Lenovo® Accessories and Display Manager is formerly Lenovo® Display Control Center.
- Natural Low Blue Light

## DESIGN

### **Mechanical**

### ThinkCentre® M Series Support

None

### Bezel Width

- Side: 2mm
- Top / Bottom: 2mm / 24mm

### Cable Management

Support

### Case Color

Raven black

### Dimensions (WxDxH)<sup>[1]</sup>

Models	Dimensions
Head Only	610.4 x 88.2 x 369.8 mm (24.03 x 3.47 x 14.56 inches)
Highest Position	610.4 x 239.2 x 528.9 mm (24.03 x 9.42 x 20.82 inches)
Lowest Position	610.4 x 239.2 x 394.3 mm (24.03 x 9.42 x 15.52 inches)

### Packaging Dimensions (WxDxH)

789 x 162 x 463 mm (31.06 x 6.38 x 18.23 inches)

### Weight<sup>[2]</sup>

Models	Weight
Monitor With Stand	6.1 kg (13.4 lbs)
Monitor Head Only	4.2 kg (9.3 lbs)

### **Packaging Weight**

8.0 kg (17.6 lbs) **Mounting** Supports VESA mount 100mm **Stand** 

Lenovo

Supports -5° to +22° tilt, up to 135mm lift

### In the Box

- Monitor with stand
- 1x DP cable (1.8m)
- 1x Power cable (1.8m)
- 4x Screws
- Quick setup guide
- Warranty booklet

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo<sup>®</sup> lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

### **Ports**<sup>[1]</sup>

### **Rear Ports**

- 2x HDMI® 2.1 TMDS<sup>[2]</sup>
- 1x DisplayPort<sup>™</sup> 1.4
- 1x Power Connector
- 1x audio-out (3.5mm)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4<sup>®</sup> 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt<sup>™</sup> 3/4: 40 Gbit/s.

[2] Supports 1920x1080@165Hz as specified in HDMI® 2.1

# **SECURITY & PRIVACY**

### **Security**

**Physical Locks** 

Kensington<sup>®</sup> Security Slot™

## SERVICE

### Warranty

### **Base Warranty**

- 1-year courier or carry-in service
- 3-year limited warranty

# CERTIFICATIONS

### **Green Certifications**<sup>III</sup>

### **Green Certifications**

- RoHS compliant
- Volatile Organic Compound Certification

Notes:

Lenovo

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or selfdeclaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.

### **Other Certifications**

### **Other Certifications**

- Eyesafe® Certified
- TÜV Rheinland<sup>®</sup> Eye Comfort Certification
- TÜV Rheinland<sup>®</sup> Low Blue Light (Hardware Solution)
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.











