## ThinkVision T1714 Essential Monitor

## **SPECIFICATIONS**

| DISPLAY  |  | MECHANICAL   |   |
|--|--|--|---|
| Panel Size Panel Type Backlight Viewable Area (Diagonal) Screen Dimensions (W x H) (mm) Resolution Aspect Ratio Viewing Angle (H/V at CR 10:1) Maximum Brightness (Typical) Contrast Ratio (Typical) Dynamic Contrast Ratio Pixel Pitch (W x H) (mm) Dot/Pixel Per Inch (DPI / PPI) Color Gamut (CIE 1931) Number of Colors Response Time Anti-Glare | 17" TN WLED 17" 270.34 x 337.92 1280 x 1024 5:4 170°/160° 250 cd/m² 1000:1 NA 0.26 x 0.26 96.21 72% 16.7 Million 5 ms (On / Off) Yes | Tilt Angle (Front / Back) Swivel Angle (Left / Right) Lift Pivot VESA Mount (mm) Kensington Lock Slot Cable Management Ambient Light Sensor Control Buttons Bezel Color Bezel Width Sides (mm / inches) Top (mm / inches) Bottom (mm / inches) | -5° - 22°<br>No<br>No<br>No<br>100 x 100<br>Yes<br>Yes<br>No<br>Yes<br>Raven Black<br>17.5 / 0.69"<br>17.5 / 0.69"  |
| POWER CONSUMPTION  |  | SIGNAL INPUT   |   |
| Power Consumption Typical Maximum Sleep-Mode Off-Mode Heat Dissipation Typical Maximum Power Supply Power Voltage Voltage Dynamic Frequency  | 14 W<br>18 W<br>0.5 W<br>0.3 W<br>47.74 Btu/h<br>61.38 Btu/h<br>Internal<br>90 VAC - 264 VAC, 1.5 A<br>50 Hz - 60 Hz                 | Video Input Signals<br>Video Cables Supplied<br>Video Cable Length<br>USB Hub<br>USB Cable Supplied  | VGA, DVI<br>VGA, DVI<br>1.8 m<br>No<br>No   |
| COMPLIANCE   |  | SIGNAL INTERFACE / PERFORMANCE   |   |
| EPEAT ENERGY STAR Rating ULE TCO TCO Edge TUV ROHS (EU 2002/95/EC) Windows Certification China Energy Efficiency Standard  | Silver 8.0 Gold 7.0 2.0 Yes Yes Windows 10 / Windows 8.1 / Windows 8 / Windows 7 Tier 1 (New Standard Tier 2)                        | Horizontal Frequency Vertical Frequency Native Resolution Maximum Pixel Clock Speed / Bandwidth Default Color Temperature Preset Display Modes User-defined Display Modes OSD Buttons OSD Languages  | 30 kHz - 83 kHz<br>50 Hz - 75 Hz<br>1280 x 1024<br>VGA : 205 MHz<br>DVI : 165 MHz<br>7200K<br>17<br>17<br>5   |
| ENVIRONMENTAL  |  | DIMENSIONS (W x D x H)   |   |
| Temperature Operating Non-operating Humidity Operating Non-operating Altitude Operating Non-operating Arsenic-Free Glass PVC-Free Mercury-Free PCC % of Plastic Resins Low Halogen   | 0°C - 45°C -20°C - 60°C (non-condensing)  10% - 80% 5% - 95% (non-condensing)  8,000 ft 40,000 ft Yes Yes Yes Ses No                 | Size Packed (mm) (inches) Size Unpacked with Stand (mm) (inches) Size Unpacked without Stand (Monitor Head Only) (mm) (inches) Distance from Table to Panel (mm / inches) Lowest Pixel at Bottom of Screen Highest Pixel at Top of Screen      | 432 × 428 × 140<br>17.01" × 16.85" × 5.51"<br>374.5 × 200 × 373.9<br>14.74" × 7.87" × 14.72"<br>374.5 × 53 × 306.9<br>14.74" × 2.09" × 12.08"<br>84.5 / 3.33"<br>356.4 / 14.03" |
| WARRANTY AND AVAILABILITY  |  | Stand Base Footprint Area (mm / inches)  | 200 × 200 / 7.87" × 7.87"   |
| Warranty<br>Geography Availability<br>ThinkVision Logo<br>Global Model   | 3 Years<br>PRC + AP<br>Yes<br>No   | Weight<br>Packed (EPS)<br>Unpacked<br>Monitor Head Only  | Starting at 8.6 lbs (3.9 kg)<br>Starting at 5.75 lbs (2.61 kg)<br>Starting at 5.11 lbs (2.32 kg)  |





Global Model

## WWW.LENOVO.COM

Monitor Head Only

Starting at 5.11 lbs (2.32 kg)