


# **OVERVIEW**



1. Power button	8. HDMI 2.1 TMDS
2. USB-C 3.2 Gen 1	9. USB 3.2 Gen 1
3. 2x USB 3.2 Gen 2	10. DisplayPort 1.4
4. Headphone / microphone combo jack (3.5mm)	11. Power connector
5. Ethernet (RJ-45)	12. Kensington Security Slot
6. 2x USB 3.2 Gen 2	13. Punch out port*
7. USB 2.0	

# Notes:

• Items with \* are only available on selected models



# **PERFORMANCE**

### **Processor**

### **Processor Family**

12th Generation Intel® Core™ i3 / i5 / i7 Processor

Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i3- 12100T	4 (4 P-core + 0 E-core)	8	P-core 2.2GHz	P-core 4.1GHz	12MB	DDR4- 3200	Intel® UHD Graphics 730
Core i3- 12300T	4 (4 P-core + 0 E-core)	8	P-core 2.3GHz	P-core 4.2GHz	12MB	DDR4- 3200	Intel® UHD Graphics 730
Core i5- 12400T	6 (6 P-core + 0 E-core)	12	P-core 1.8GHz	P-core 4.2GHz	18MB	DDR4- 3200	Intel® UHD Graphics 730
Core i5- 12500T	6 (6 P-core + 0 E-core)	12	P-core 2.0GHz	P-core 4.4GHz	18MB	DDR4- 3200	Intel® UHD Graphics 770
Core i7- 12700T	12 (8 P-core + 4 E-core)	20	P-core 1.4GHz / E-core 1.0GHz	Max Turbo up to 4.7GHz / P-core 4.6GHz / E-core 3.4GHz	25MB	DDR4- 3200	Intel® UHD Graphics 770

### Notes:

[1] Intel® Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see http://www.intel.com/technology/turboboost/ for more information.

# **Operating System**

## Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

# **Graphics**

# Graphics\*\*

Graphics	Туре	Memory	Max Resolution	Connector	Key Features
Intel® UHD graphics 730	Integrated	Shared	4096x2160@60Hz(HDMI®), 4096x2160@60Hz(DP), 4096x2160@60Hz(USB-C® with DP function)	1x HDMI® 2.1 TMDS, 1x DP 1.4, 1x punch out ports [USB-C® with DP function]	DirectX® 12
Intel® UHD graphics 770	Integrated	Shared	4096x2160@60Hz(HDMI®), 4096x2160@60Hz(DP), 4096x2160@60Hz(USB-C® with DP function)	1x HDMI® 2.1 TMDS, 1x DP 1.4, 1x punch out ports [USB-C® with DP function]	DirectX®

# **Monitor Support**

# **Monitor Support**

Supports up to 3 independent displays via (onboard DP, onboard HDMI®, USB type-c [DP 1.4])

# **Chipset**

# Chipset

Intel® Q670 chipset

### **Memory**

Max Memory[1]

Up to 32GB DDR4-3200

**Memory Slots** 

# IdeaCentre Mini 5 01IAQ7



Two DDR4 SO-DIMM slots, dual-channel capable

**Memory Type** 

DDR4-3200

**Memory Protection** 

Non-ECC

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

# **Storage**

### Storage Support[1]

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 2TB
- M.2 SSD up to 1TB

# Storage Type\*\*

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
M.2 2242 SSD	PCle® NVMe®, PCle® 3.0 x2	-	-
M.2 2280 SSD	PCle® NVMe®, PCle® 4.0 x4	-	Opal 2.0

### **RAID**

No support

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.

# **Removable Storage**

# Optical

None

### **Card Reader**

No card reader

### Multi-Media

# **Audio Chip**

High Definition (HD) Audio, Realtek® ALC233VB codec

### **Speakers**

No speakers

# **Power Supply**

## Power Supply\*\*

Power	Туре	Efficiency	Key Features
90W	Adapter	89%	100V - 240V
135W	Adapter	89%	100V - 240V

# **DESIGN**

# **Input Device**

### Keyboard

No keyboard

### Mouse

No mouse

# **Mechanical**



#### **Form Factor**

Tiny (1L)

### Dimensions (WxDxH)[1]

194 x 182.4 x 40 mm (7.64 x 7.18 x 1.57 inches)

#### Packaging Dimensions (WxDxH)

320 x 125 x 275 mm (12.59 x 4.92 x 10.82 inches)

Weight<sup>[2]</sup>

Around 1.39 kg (3.05 lbs)

### **Packaging Weight**

All models: Around 2.53 kg (5.57 lbs)

#### **Case Color**

Terrazzo grey

#### **Bays**

1x 2.5" disk bay

### **Expansion Slots**

Two M.2 slots (one for WLAN, one for SSD)

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

### **Network**

### WLAN + Bluetooth®

- Wi-Fi® 5, 802.11ac 2x2 Wi-Fi® + Bluetooth® 5.0, M.2 card
- Wi-Fi® 6, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.2, M.2 card[1]

### **Onboard Ethernet**

Gigabit Ethernet, 1x RJ-45

Notes:

[1] Bluetooth® 5.2 requires Windows® 11.

### **Ports**<sup>(1)</sup>

#### **Front Ports**

- 1x USB-C® 3.2 Gen 1
- 2x USB 3.2 Gen 2
- 1x headphone / microphone combo jack (3.5mm)

### **Rear Ports**

- 1x USB 2.0
- 1x USB 3.2 Gen 1
- 2x USB 3.2 Gen 2
- 1x HDMI® 2.1 TMDS
- 1x DisplayPort<sup>™</sup> 1.4
- 1x Ethernet (RJ-45)

# **Optional Rear Ports**

Punch out port (USB-C® 2.0 with DisplayPort™)

# Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.



USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

# **SECURITY & PRIVACY**

### Security

### **Security Chip**

Firmware TPM 2.0 integrated in chipset

### **BIOS Security**

- Administrator password
- Power-on password
- Boot sequence control
- · Boot without keyboard and mouse
- More BIOS security features, please visit BIOS Simulator[1]

#### Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

# **SERVICE**

# **Warranty**<sup>[1]</sup>

### Base Warranty\*\*

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year limited onsite service
- 2-year courier or carry-in service
- 3-year courier or carry-in service

### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://support.lenovo.com/warrantylookup/warrantypolicy">https://support.lenovo.com/warrantylookup/warrantypolicy</a>.

# **OPERATING REQUIREMENTS**

# **Operating Environment**

### **Temperature**

Operating: 5°C (41°F) to 35°C (95°F)

Storage: -40°C (-40°F) to 60°C (140°F)

# **Relative Humidity**

Operating: 20% to 80%

• Storage: 10% to 90%

#### Altitude

• Operating: -15.2 m (-50 ft) to 3048 m (10,000 ft)

• Storage: -15.2 m (-50 ft) to 12192 m (40,000 ft)

# **CERTIFICATIONS**

### 

**Green Certifications** 

# IdeaCentre Mini 5 01IAQ7



- ENERGY STAR® 8.0
- ErP Lot 3
- RoHS compliant
- TCO Certified 9.0

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <a href="https://compliance.lenovo.com">https://compliance.lenovo.com</a>.

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.







intel.





intel. intel





intel. intel.