# **OVERVIEW**



1. Power connector	5. Power button
2. HDMI	6. SD card reader
3. Thunderbolt 4	7. USB-A (USB 5Gbps)
4. Headphone / microphone combo jack (3.5mm)	8. USB-A (USB 5Gbps), Always On

# IdeaPad Flex 5 14IAU7

# PERFORMANCE

### Processor

#### **Processor Family**

Intel® Pentium® or 12th Generation Intel® Core™ i3 / i5 / i7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Pentium <sup>®</sup> Gold 8505	5 (1 P-core + 4 E- core)	6	P-core 1.2GHz / E-core 0.9GHz	P-core 4.4GHz / E-core 3.3GHz	8MB	Intel® UHD Graphics
Core i3-1215U	6 (2 P-core + 4 E-core)	8	P-core 1.2GHz / E-core 0.9GHz	P-core 4.4GHz / E-core 3.3GHz	10MB	Intel® UHD Graphics
Core i5-1235U			P-core 1.3GHz / E-core 0.9GHz	P-core 4.4GHz / E-core 3.3GHz	12MB	Intel® Iris® Xe Graphics
Core i7-1255U	10 (2 P-core + 8 E-core)	12	P-core 1.7GHz / E-core 1.2GHz	P-core 4.7GHz / E-core 3.5GHz	12MB	Intel® Iris® Xe Graphics

## **Operating System**

**Operating System**\*\*

- Windows® 11 Pro
- Windows® 11 Home Single Language in S mode
- Windows® 11 Home in S mode

## Graphics

#### Graphics\*\*

Graphics	Туре	Memory	Key Features
Intel <sup>®</sup> UHD Graphics	Integrated	Shared	DirectX® 12.1
Intel <sup>®</sup> Iris <sup>®</sup> Xe Graphics	Integrated	Shared	DirectX® 12.1

## **Monitor Support**

#### **Monitor Support**

Supports up to 3 independent displays (native display and 2 external monitors via HDMI<sup>®</sup> and Thunderbolt<sup>™</sup>) • HDMI<sup>®</sup> supports up to 4096x2160@30Hz

• Thunderbolt<sup>™</sup> supports up to 5120x3200@60Hz

## Chipset

#### Chipset

Intel® SoC (System on Chip) platform

## Memory

#### **Max Memory**

- 4GB soldered memory, not upgradable
- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable

#### Memory Slots\*\*

- Memory soldered to systemboard, no slots, single-channel (4GB models)
- Memory soldered to systemboard, no slots, dual-channel (8GB or 16GB models)

#### Memory Type

LPDDR4x-4266

## Storage

#### Storage Support<sup>[1]</sup>

One drive, up to 1TB M.2 2242 SSD or 512GB M.2 2280 SSD

**Storage Slot** 

# IdeaPad Flex 5 14IAU7

Lenovo

One M.2 2280 PCIe® 4.0 x4 slot

#### Storage Type\*\*

Disk Type	Interface	Offering
M.2 2242 SSD	PCIe® NVMe®, PCIe® 3.0 x4	128GB
M.2 2242 SSD	PCIe® NVMe®, PCIe® 4.0 x4	256GB / 512GB / 1TB
M.2 2280 SSD	PCIe <sup>®</sup> NVMe <sup>®</sup> , PCIe <sup>®</sup> 3.0 x4	512GB

#### Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

## **Removable Storage**

#### Card Reader

SD card reader

### Multi-Media

#### Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

#### Speakers

Front-facing stereo speakers, 2W x2, optimized with Dolby Audio™

#### Microphone

Dual-microphone array

#### Camera\*\*

- HD 720p, with privacy shutter, fixed focus
- FHD 1080p, with privacy shutter, fixed focus

#### Sensor

#### Sensors

- Accelerometer (G) sensor
- Hall sensor

## Battery

## Battery<sup>[1]</sup>

52.5Wh Rechargeable Li-ion Battery, supports Rapid Charge Boost (get 2 hours of runtime with a 15-minute charge)

#### Max Battery Life<sup>[2]</sup>

- WUXGA models: MobileMark<sup>®</sup> 2018@200nits: 9 hr Local video (1080p) playback@150nits: 13.5 hr
   2.2K models:
- MobileMark<sup>®</sup> 2018@200nits: 7.5 hr Local video (1080p) playback@150nits: 10.5 hr • 2.8K models:
- MobileMark® 2018@200nits: 7 hr Local video (1080p) playback@150nits: 10 hr

#### Notes:

[1] Rapid Charge Boost is only effective in hibernates or fully shutting down the computer.

[2] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018, MobileMark® 25, MobileMark® 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## **Power Adapter**

#### **Power Adapter**

65W round tip (3-pin) AC adapter, 100-240V, 50-60Hz

# DESIGN

## Display

### Display\*\*

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
14″	WUXGA (1920x1200)	Multi- touch	IPS <sup>[1]</sup>	300nits	Glossy	16:10	800:1	45% NTSC	60Hz	85° / 85° / 85° / 85°	TÜV Low Blue Light (Software), Glass
14″	2.2K (2240x1400)	Multi- touch	IPS <sup>[2]</sup>	300nits	Glossy	16:10	1,500:1	100% sRGB	60Hz	85° / 85° / 85° / 85°	TÜV Low Blue Light (Hardware), Glass
14″	2.8K WQXGA+ (2880x1800)	Multi- touch	OLED	400nits	Glossy	16:10	100,000:1	100% DCI-P3	60Hz	87.5° / 87.5° / 87.5° / 87.5°	TÜV Low Blue Light (Software), Glass

#### Touchscreen

GFF (Glass-Film-Film) or OGS (One Glass Solution) multi-touch, supports 10-point touch

Notes:

[1], [2] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

## Multi-mode

#### Multi-mode

Laptop, tent, stand, and tablet modes supported by 360° hinge

## **Input Device**

#### Pen\*\*

- Lenovo<sup>®</sup> Digital Pen with replaceable AAAA alkaline battery, 4096 levels of pressure sensitivity. For more information, please read <u>Lenovo<sup>®</sup> Digital Pen Overview</u>
- Lenovo<sup>®</sup> Digital Pen without replaceable AAAA alkaline battery, 4096 levels of pressure sensitivity. For more
  information, please read <u>Lenovo<sup>®</sup> Digital Pen Overview</u>
- No pen (purchase separately)

#### Keyboard

6-row, multimedia Fn keys

#### Keyboard Backlight

- LED backlight
- Non-backlight

#### Touchpad

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

### **Mechanical**

#### Dimensions (WxDxH)[1]

Models	Dimensions			
Metal models	313.1 x 224.9 x 17.4 mm (12.32 x 8.85 x 0.69 inches)			
Plastic models	313.1 x 224.9 x 17.8 mm (12.32 x 8.85 x 0.70 inches)			

### Weight<sup>[2]</sup>

Models	Weight
Models with metal	Starting at 1.5 kg (3.31 lbs)
Models with plastic	Starting at 1.55 kg (3.42 lbs)

#### Case Color\*\*

- Cloud grey
- Stone blue
- Storm grey

#### Surface Treatment\*\*

- Aluminium stamping (anodized with sandblasting)
- Painting

#### Case Material\*\*

- Aluminium (top), PC-ABS + 40% GF (bottom)
- PC-ABS + 40% GF (top), PC-ABS + 40% GF (bottom)

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo<sup>®</sup> lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

## Network

#### WLAN + Bluetooth®\*\*

- Wi-Fi<sup>®</sup> 5, 802.11ac 2x2 Wi-Fi<sup>®</sup> + Bluetooth<sup>®</sup> 5.1, M.2 card
- Wi-Fi<sup>®</sup> 6, 802.11ax 2x2 Wi-Fi<sup>®</sup> + Bluetooth<sup>®</sup> 5.2, M.2 card<sup>[1]</sup>

#### WWAN

#### No support

#### Ethernet

No onboard Ethernet

#### Notes:

[1] Bluetooth® 5.2 is hardware ready but may run at a lower version due to OS limitations. Wi-Fi® 6 full features might be limited by country-level restrictions.

### Ports<sup>[1]</sup>

#### **Standard Ports**

- 1x USB-A (USB 5Gbps / USB 3.2 Gen 1)
- 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On
- 1x USB-C<sup>®</sup> (Thunderbolt<sup>™</sup> 4 / USB4<sup>®</sup> 40Gbps), with USB PD 3.0 and DisplayPort<sup>™</sup> 1.4a
- 1x HDMI® 1.4b
- 1x Headphone / microphone combo jack (3.5mm)
- 1x SD card reader
- 1x Power connector

#### Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

## Docking

#### Docking

Various docking solutions are supported via Thunderbolt™. For more compatible docking solutions, please visit <u>Docking for IdeaPad® Flex 5 14IAU7</u>

# **SECURITY & PRIVACY**

## Security

**Security Chip** 

#### Firmware TPM 2.0 integrated in SoC

#### Fingerprint Reader

Touch style fingerprint reader on palm rest

#### **BIOS Security**

- Administrator password
- Master hard disk password
- User hard disk password
- User password
- Self-healing BIOS
- More BIOS security features, please visit <u>BIOS Simulator</u><sup>[1]</sup>

#### Other Security

Camera privacy shutter

#### Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

# SERVICE

### Warranty

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

# ACCESSORIES

### **Bundled Accessories**

#### Bundled Accessories<sup>[1]</sup>

None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for IdeaPad® Flex 5 14IAU7.

# **OPERATING REQUIREMENTS**

## **Operating Environment**

#### Temperature<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3  $^{\circ}$ C (88  $^{\circ}$ F)

#### **Relative Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

# CERTIFICATIONS

## **Green Certifications**<sup>III</sup>

### Green Certifications<sup>[2]</sup>

- ENERGY STAR® 8.0
- ErP Lot 6/26
- RoHS compliant

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.
 [2] EPEAT™ registration and ENERGY STAR<sup>®</sup> certification are optional and only available on the models with preloaded OS. Please visit <u>epeat.net</u> and <u>energystar.gov</u> for more information.

## **Other Certifications**

#### Other Certifications

- Models with 2.2K panel: TÜV Rheinland<sup>®</sup> Low Blue Light (Hardware Solution)
- Models with 2.8K OLED, WUXGA panel: TÜV Rheinland<sup>®</sup> Low Blue Light (Software Solution)
- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



intel.



intel



intel



intel





intel



intel.