


OVERVIEW





1. 2x USB 2.0	8. 4x USB 3.2 Gen 1	
2. 2x USB 3.2 Gen 1	9. USB-C 3.2 Gen 2x2	
3. Headphone (3.5mm)	10. 6x Audio connectors(with SPDIF)	
4. Microphone (3.5mm)	11. Ethernet (RJ-45)	
5. Power button	12. Optional ports on expansion cards	
6. 2x USB 2.0	13. Power connector	
7. Lighting switch	14. USB 3.2 Gen 2	



PERFORMANCE

Processor

Processor Family

12th Generation Intel® Core™ i5 / i7 / i9 Processor

Processor**[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core™ i7- 12700K	12 (8 P-core + 4 E-core)	20	P-core 3.6GHz / E-core 2.7GHz	Max Turbo up to 5.0GHz / P-core 4.9GHz / E-core 3.8GHz	25MB	DDR5- 4800	Intel® UHD Graphics 770
Core™ i7- 12700KF	12 (8 P-core + 4 E-core)	20	P-core 3.6GHz / E-core 2.7GHz	Max Turbo up to 5.0GHz / P-core 4.9GHz / E-core 3.8GHz	25MB	DDR5- 4800	-
Core™ i9- 12900K	16 (8 P-core + 8 E-core)	24	P-core 3.2GHz / E-core 2.4GHz	Max Turbo up to 5.2GHz / P-core 5.1GHz / E-core 3.9GHz	30MB	DDR5- 4800	Intel® UHD Graphics 770
Core™ i9- 12900KF	16 (8 P-core + 8 E-core)	24	P-core 3.2GHz / E-core 2.4GHz	Max Turbo up to 5.2GHz / P-core 5.1GHz / E-core 3.9GHz	30MB	DDR5- 4800	-

Notes:

[1] P-core means performance core, E-core means efficient core Intel® UHD Graphics in processor is disabled.

Intel® Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see http://www.intel.com/technology/turboboost/ for more information.

Operating System

Operating System**

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No operating system

Graphics

Graphics**[1]

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
NVIDIA® GeForce RTX™ 3060 Ti	Discrete	8G GDDR6	3x DP 1.4a, 1x HDMI® 2.1 FRL	7680x4320@60Hz(HDMI®), 7680x4320@60Hz(DP)	DirectX® 12
NVIDIA® GeForce RTX™ 3070	Discrete	8G GDDR6	3x DP 1.4a, 1x HDMI® 2.1	7680x4320@60Hz(HDMI®); 7680x4320@60Hz(DP)	DirectX® 12
NVIDIA® GeForce RTX™ 3070 Ti	Discrete	8G GDDR6X	3x DP 1.4a, 1x HDMI® 2.1	7680x4320@60Hz(HDMI®); 7680x4320@60Hz(DP)	DirectX® 12
NVIDIA® GeForce RTX™ 3080	Discrete	10G GDDR6X	3x DP 1.4a, 1x HDMI® 2.1	7680x4320@60Hz(HDMI®); 7680x4320@60Hz(DP)	DirectX® 12
NVIDIA® GeForce RTX™ 3080 Ti	Discrete	12G GDDR6X	3x DP 1.4a, 1x HDMI® 2.1	7680x4320@60Hz(HDMI®); 7680x4320@60Hz(DP)	DirectX® 12

Notes:

[1] The information of integrated graphics are not applicable for the models with processor which has no integrated graphics inside (for the details, please refer to processor section).

Monitor Support



Monitor Support

Supports up to 4 independent displays via discrete graphics

Chipset

Chipset

Intel® Z690 chipset

Memory

Max Memory[1][2]

Up to 128GB DDR5-4800

Memory Slots

Four DDR5 UDIMM slots, dual-channel capable

Memory Type**

- DDR5-4800
- DDR5-4800, Armor

Memory Protection

Non-ECC

Notes:

- [1] The max memory is based on the test results with current Lenovo® memory offerings.
- [2] Installed memory is actually 4800MHz, but may run at 4000MHz or 4400MHz depending on the memory support rules of Intel®.

Storage

Storage Support[1]

Up to six drives, 2x 3.5" HDD + 2x 2.5" HDD + 2x M.2 SSD

- 3.5" HDD up to 2TB
- 2.5" HDD up to 1TB
- M.2 SSD up to 1TB

Storage Type**

Disk Type	Interface	RPM
3.5" SATA HDD	SATA 6Gb/s	7.2K
M.2 2280 SSD	PCle® NVMe®, PCle® 4.0 x4	-

RAID

No support

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.

Removable Storage

Optical

None

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC897 codec

Speakers

No speakers

Power Supply

Power Supply**



Power	Туре	Efficiency	Key Features
500W	Fixed	85%	100V - 240V
550W	Fixed	88%	220V
850W	Fixed	90%	100V - 240V

DESIGN

Input Device

Keyboard

- Lenovo® Calliope Keyboard (USB connector), black
- · No keyboard

Mouse

- Lenovo® Calliope Mouse (USB connector), black
- No mouse

Mechanical

Form Factor

Tower (34L)

Dimensions (WxDxH)[1]

211 x 450 x 483 mm (8.3 x 17.7 x 19 inches)

Packaging Dimensions (WxDxH)

325 x 585 x 630 mm (12.8 x 23.03 x 24.8 inches)

Weight^[2]

17 kg (37.47 lbs)

Packaging Weight

All models: 17 kg (37.47 lbs)

Case Color

Black

Chassis

Transparent side cover

Bays

- 4x 2.5" disk bay
- 2x 3.5" disk bay

Expansion Slots

- One PCle® 5.0 x16
- One PCle® 4.0 x16 (x4 signal)
- Two PCle® 3.0 x1
- Three M.2 slots (one for WLAN, two for SSD)

Cooling System (Fan & Cooler)**

- Advance Pro Air Cooling, ARGB (120mm-Side-flow-air-cooler, 3x Front-120mm-FAN & 1x Rear-120-FAN)
- Advance Max Air Cooling, ARGB (120mm-Side-flow-air-cooler, 3x Front-120mm-FAN & 1x Rear-120-FAN & 2x Top-120mm-FAN)
- Premium Max Liquid Cooling, ARGB (360mm-integrated-liquid-cooler combined with 3x front 120mm-FAN, 1x Rear-120-FAN & 2x Top-120mm-FAN)

System Lighting**

- · Internal ambient lighting
- Legion OY iconic LED

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.



CONNECTIVITY

Network

Onboard Ethernet

2.5GbE, Realtek® RTL8125BG Gaming Ethernet, 1x RJ-45

WLAN + Bluetooth®**

- Wi-Fi[®] 6, 802.11ax 2x2 Wi-Fi[®] + Bluetooth[®] 5.1, M.2 card^[1]
- Wi-Fi[®] 6E, 802.11ax 2x2 Wi-Fi[®] + Bluetooth[®] 5.1, M.2 card^[2]

Notes:

[1], [2] Bluetooth® 5.2 is hardware ready but may run at a lower version due to OS limitations.

Ports^[1]

Rear Ports[2]

- 1x USB-C® 3.2 Gen 2x2
- 1x USB 3.2 Gen 2
- 2x USB 2.0
- 4x USB 3.2 Gen 1
- 1x Ethernet (RJ-45)
- 1x Lighting switch
- 1x power connector
- 6x audio connectors (with SPDIF)

Top Ports

- 2x USB 2.0
- 2x USB 3.2 Gen 1
- 1x headphone (3.5mm)
- 1x microphone (3.5mm)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

 ${\sf USB4^{\scriptsize @}\ 20Gbps\ /\ USB\ 3.2\ Gen\ 2x2\ (SuperSpeed\ USB\ 20Gbps):\ 20\ Gbit/s;}$

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

[2] For video ports on discrete graphics, please see graphics section.

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in chipset

BIOS Security

- · Administrator password
- · Hard disk password

SERVICE

Warranty^[1]

Base Warranty**

- 1-year mail-in service
- 1-year courier or carry-in service
- 2-year courier or carry-in service
- 3-year courier or carry-in service



Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to https://smartfind.lenovo.com/. To learn more details of warranty policy, please access https://pcsupport.lenovo.com/warranty.

ENVIRONMENTAL

Operating Environment

Temperature

Storage: -40°C (-40°F) to 60°C (140°F)

Humidity

Operating: 20% to 80%Storage: 10% to 90%

Altitude

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

CERTIFICATIONS

Green Certifications¹¹

Green Certifications

- (Optional) ENERGY STAR® 8.0
- (Optional) EPEAT™ Silver Registered[2]
- ErP Lot 3
- · RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

[2] EPEAT™ is registered where applicable, please see epeat.net for registration status by country.

- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
 responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
 WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
 OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
 disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
 you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.






intel



intel.





intel. intel.





intel.