
# **OVERVIEW**



1. Power button	8. HDMI 2.1 TMDS
2. USB-C 3.2 Gen 2 (with DP 1.4)	9. USB 3.2 Gen 1
3. 2x USB 3.2 Gen 2	10. 2x USB 3.2 Gen 1
4. Headphone / microphone combo jack (3.5mm)	11. Ethernet (RJ-45)
5. Power connector	12. Kensington Security Slot
6. DisplayPort 1.4	13. Flex IO *
7. USB 3.2 Gen 1	

Notes:

• Items with \* are only available on selected models

# PERFORMANCE

### Processor

#### **Processor Family**

Intel® Celeron® or 12th Generation Intel® U Series Core i3 / i5 Processor

#### Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Celeron® 7305	5 (1 P-core + 4 E-core)	6	P-core 1.1GHz / E- core 0.9GHz	-	8MB	DDR4-3200	Intel® UHD Graphics
Core i3- 1215U	6 (2 P-core + 4 E-core)	8	P-core 1.2GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz <sup>[2]</sup>	10MB	DDR4-3200	Intel® UHD Graphics
Core i5- 1235U	10 (2 P-core + 8 E-core)	12	P-core 1.3GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz <sup>[3]</sup>	12MB	DDR4-3200	Intel® Iris® Xe Graphics

Notes:

[1] Intel® Iris® Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel® Iris® Xe Graphics will function as Intel® UHD Graphics.

[2], [3], [4] Intel<sup>®</sup> Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see

http://www.intel.com/technology/turboboost/ for more information.

# **Operating System**

#### **Operating System**

ChromeOS

# Graphics

#### Graphics\*\*

Graphics	Туре	Memory	Max Resolution	Connector	Key Features
Intel® UHD Graphics	Integrated	Shared	4096x2304@60Hz(DP), 4096x2304@60Hz(USB-C® with DP function), 4096x2304@60Hz(HDMI®)	1x DP 1.4 HBR2, 1x USB-C <sup>®</sup> with DP 1.4 funcion, 1x HDMI <sup>®</sup> 2.1 TMDS, 1x optional punch out port (1x HDMI <sup>®</sup> 2.1 TMDS or 1x DP 1.4)	DirectX® 12
Intel® Iris® Xe Graphics <sup>[1]</sup>	Integrated	Shared	4096x2304@60Hz(DP), 4096x2304@60Hz(USB-C® with DP function), 4096x2304@60Hz(HDMI®)	1x DP 1.4 HBR2, 1x USB-C <sup>®</sup> with DP 1.4 funcion, 1x HDMI <sup>®</sup> 2.1 TMDS, 1x optional punch out port (1x HDMI <sup>®</sup> 2.1 TMDS or 1x DP 1.4)	DirectX® 12

Notes:

[1] Intel<sup>®</sup> Iris<sup>®</sup> Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel<sup>®</sup> Iris<sup>®</sup> Xe Graphics will function as Intel<sup>®</sup> UHD Graphics.

# **Monitor Support**

#### **Monitor Support**

Supports up to 4 independent displays via (onbaord USB-C<sup>®</sup>, onboard DP, onboard HDMI<sup>®</sup>, and one optional port [2nd DP / 2nd HDMI<sup>®</sup>])

# Chipset

#### Chipset

Intel<sup>®</sup> SoC (System on Chip) platform

# Memory

Max Memory<sup>[1]</sup> Up to 32GB DDR4-3200

### **Memory Slots**

Two DDR4 SO-DIMM slots, dual-channel capable

#### Memory Type

DDR4-3200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

### Storage

#### Storage Support<sup>[1]</sup>

One drive, up to 256GB M.2 2280 SSD or 64GB eMMC 5.1 on systemboard

#### Storage Type\*\*\*

Disk Type	Interface
Flash Memory <sup>[2]</sup>	eMMC 5.1
M.2 2242 SSD	PCIe® NVMe®, PCIe® 3.0 x4
M.2 2280 SSD	PCIe® NVMe®, PCIe® 4.0 x4

#### RAID

No support

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo<sup>®</sup> storage offerings.[2] EMMC is pre-configured, not upgradable.

# **Removable Storage**

Optical

None

Card Reader

No card reader

# Multi-Media

**Audio Chip** 

High Definition (HD) Audio, Realtek® ALC5682I codec

Speakers

- No speakers
- Microphone

No microphone

Camera

No camera

# **Power Supply**

#### Power Supply\*\*

Power	Туре	Efficiency	Key Features
65W	Adapter	89%	Autosensing
90W	Adapter	89%	Autosensing

# DESIGN

# **Input Device**

#### Keyboard

- Chrome USB Keyboard, black
- No keyboard

#### Mouse

- USB Calliope Mouse, black
- No mouse

### Mechanical

Form Factor

Tiny (1L)

#### Dimensions (WxDxH)<sup>[1]</sup>

178 x 182 x 34 mm (7 x 7.16 x 1.33 inches)

#### Packaging Dimensions (WxDxH)

140 x 485 x 270 (5.51 x 19.1x 10.6 inches)

#### Weight<sup>[2]</sup>

Around 1.07 kg (2.35 lbs)

#### Packaging Weight

Around 2.95 kg (6.5 lbs)

#### Case Color

Raven black

#### Bays

No bays

#### **Expansion Slots**

- One M.2 slot (for WLAN, models with Celeron<sup>®</sup> processor)
- Two M.2 slots (one for WLAN, one for SSD)

### EOU

(Optional) Toolless cover and stand assembly / removal

#### Stand

- Vertical stand
- No stand

#### Mounting

- Supports VESA mount 100mm
- None

#### Others

(Optional) Power adapter cage

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo<sup>®</sup> lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

### Network

WLAN + Bluetooth®

Intel® Wi-Fi® 6E AX211, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.3, M.2 Card

#### Onboard Ethernet

Gigabit Ethernet, Realtek® RTL8111K-CG, 1x RJ-45

### Ports<sup>[1]</sup>

### Front Ports

- 1x USB-C $^{\circ}$  3.2 Gen 2 (with DP 1.4)
- 2x USB 3.2 Gen 2
- 1x headphone / microphone combo jack (3.5mm)

#### **Rear Ports**

- 4x USB 3.2 Gen 1
- 1x HDMI® 2.1 TMDS
- 1x DisplayPort<sup>™</sup> 1.4
- 1x Ethernet (GbE RJ-45)

#### **Optional Rear Ports**\*\*

- 1x HDMI<sup>®</sup> 2.1 TMDS (Flex IO)
- 1x DP 1.4 (Flex IO)
- None

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s; USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s; USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s; USB4<sup>®</sup> 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s; USB4<sup>®</sup> 40Gbps (USB 40Gbps): 40 Gbit/s; Thunderbolt<sup>™</sup> 3/4: 40 Gbit/s.

# **SECURITY & PRIVACY**

# Security

Security Chip

Google Security Chip H1 Physical Locks

Kensington<sup>®</sup> Security Slot™

**BIOS Security** 

No support

# MANAGEABILITY

# System Management

System Management Non-vPro®

# SERVICE

### **Warranty**<sup>III</sup>

#### **Base Warranty**

- 1-year courier or carry-in service
- 1-year limited onsite service
- No base warranty

Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <u>https://smartfind.lenovo.com/</u>. To learn more details of warranty policy, please access <u>https://support.lenovo.com/warrantylookup/warrantypolicy</u>.

# ACCESSORIES

### **Bundled Accessories**

#### **Bundled Accessories**

- DP to DVI dongle
- DP to HDMI® dongle
- None

# **OPERATING REQUIREMENTS**

# **Operating Environment**

#### Temperature

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage: -40°C (-40°F) to 60°C (140°F)

#### **Relative Humidity**

- Operating: 20% to 80%
- Storage: 10% to 90%

#### Altitude

- Operating: -15.2 m (-50 ft) to 3048 m (10,000 ft)
- Storage: -15.2 m (-50 ft) to 10668 m (35,000 ft)

# CERTIFICATIONS

# **Green Certifications**<sup>III</sup>

#### **Green Certifications**

- (Optional) ENERGY STAR<sup>®</sup> 8.0
- (Optional) EPEAT<sup>™</sup> Gold Registered<sup>[2]</sup>

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.
[2] EPEAT<sup>™</sup> is registered where applicable, please visit <u>epeat.net</u> for registration status by country.

# **Other Certifications**

#### Mil-Spec Test

MIL-STD-810H military test passed (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation, Contamination by Fluids, Salt Fog)

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with \*\*\* means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.





Lenovo







