

# **OVERVIEW**



1. Optical drive *	8. DisplayPort				
2. Microphone mute button	9. Power connector				
3. USB-C 3.2 Gen 2	10. Serial or HDMI *				
4. 1x USB 3.2 Gen 2 + 1x USB 3.2 Gen 1	11. Ethernet (RJ-45)				
5. Headphone / microphone combo jack (3.5mm)	12. 3x USB 3.2 Gen 1				
6. Power button	13. Kensington Security Slot				
7. Card reader *					

### Notes:

• Items with \* are only available on selected models



### **PERFORMANCE**

### **Processor**

### **Processor Family**

Intel® Celeron®, Intel® Pentium®, 10th Generation Intel® Core™ i3, or 11th Generation Intel® Core™ i5 / i7 / i9 Processor

### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Celeron® G5905	2	2	3.5GHz	-	4MB	DDR4-2666	Intel® UHD Graphics 610
Celeron® G5925	2	2	3.6GHz	-	4MB	DDR4-2666	Intel® UHD Graphics 610
Pentium® Gold G6405	2	4	4.1GHz	-	4MB	DDR4-2666	Intel® UHD Graphics 610
Pentium® Gold G6505	2	4	4.2GHz	-	4MB	DDR4-2666	Intel® UHD Graphics 630
Pentium® Gold G6605	2	4	4.3GHz	-	4MB	DDR4-2666	Intel® UHD Graphics 630
Core™ i3-10105	4	8	3.7GHz	4.4GHz <sup>[1]</sup>	6MB	DDR4-2666	Intel® UHD Graphics 630
Core™ i3-10305	4	8	3.8GHz	4.5GHz <sup>[2]</sup>	8MB	DDR4-2666	Intel® UHD Graphics 630
Core™ i3-10325	4	8	3.9GHz	4.7GHz <sup>[3]</sup>	8MB	DDR4-2666	Intel® UHD Graphics 630
Core™ i5-11400	6	12	2.6GHz	4.4GHz <sup>[4]</sup>	12MB	DDR4-3200	Intel® UHD Graphics 730
Core™ i5-11500	6	12	2.7GHz	4.6GHz <sup>[5]</sup>	12MB	DDR4-3200	Intel® UHD Graphics 750
Core™ i5-11600	6	12	2.8GHz	4.8GHz <sup>[6]</sup>	12MB	DDR4-3200	Intel® UHD Graphics 750
Core™ i7-11700	8	16	2.5GHz	4.9GHz <sup>[7]</sup>	16MB	DDR4-3200	Intel® UHD Graphics 750
Core™ i9-11900	8	16	2.5GHz	5.2GHz <sup>[8]</sup>	16MB	DDR4-3200	Intel® UHD Graphics 750

#### Notes:

[1], [2], [3], [4], [5], [6], [7], [8] Intel® Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see

http://www.intel.com/technology/turboboost/ for more information.

# **Operating System**

### Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- Windows® 11 DG Windows® 10 Pro 64
- Windows® 10 Pro 64
- Windows® 10 Home 64
- Windows® 10 Home 64 Single Language
- Windows® 10 IoT Enterprise
- Ubuntu Linux[1]
- No preload operating system

### Notes:

[1] Some features may not be supported on the system with Linux preload, including but not limited to Intel® RST RAID, Human Presence Detection, etc.



## **Graphics**

### Graphics\*\*

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
Intel® UHD graphics 610	Integrated	Shared	1x DP 1.4b, 1x optional HDMI® 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI®)	DirectX® 12
Intel® UHD graphics 630	Integrated Shared Integrated Shared		1x DP 1.4b, 1x optional HDMI® 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI®)	DirectX® 12
Intel® UHD graphics 730			1x DP 1.4b, 1x optional HDMI® 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI®)	DirectX® 12
Intel® UHD graphics 750 Integrated Shared		1x DP 1.4b, 1x optional HDMI® 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI®)	DirectX® 12	

## **Monitor Support**

### **Monitor Support**

Supports up to 3 independent displays via native display and 2 external monitor; supports external monitors via DisplayPort™ and optional HDMI®

### **Chipset**

### Chipset

Intel® B560 chipset

### **Memory**

### Max Memory[1]

Up to 64GB DDR4-3200

### **Memory Slots**

Two DDR4 SO-DIMM slots, dual-channel capable

# Memory Type\*\*[2]

- DDR4-2666
- DDR4-3200

### Notes:

- [1] The max memory is based on the test results with current Lenovo® memory offerings.
- [2] Installed memory is actually DDR4-3200 but may run as DDR4-2666 depending on the memory support capability of processor.

### **Storage**

### Storage Support[1]

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 2TB
- M.2 SSD up to 1TB

### Storage Type\*\*\*

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
2.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2280 SSD	PCle® NVMe®, PCle® 3.0 x4	-	Opal
M.2 2242 SSD	PCle® NVMe®, PCle® 3.0 x4	-	-

### **RAID**

No support

### Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.



## **Removable Storage**

#### Optical\*\*

- DVD-ROM, SATA 1.5Gb/s, slim (9.0mm)
- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- None

#### **Card Reader**

- 3-in-1 card reader
- · No card reader

### Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC233 codec

#### **Speakers**

Stereo speakers, 2W x2, Dolby® Atmos®

#### Microphone

- Dual-microphone array
- · No microphone

### Camera\*\*

- FHD 1080p + IR, with ThinkShutter (physical switch on/off), Windows® Hello support
- FHD 1080p, with ThinkShutter (physical switch on/off)
- No camera

# **Power Supply**

### Power Supply\*\*

Power	Туре	Efficiency	Key Features		
135W Adapter		89%	Autosensing		
170W	Adapter	89%	Autosensing		

## **DESIGN**

### **Display**

### Display\*\*[1]

	Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
4	21.5"	FHD (1920x1080)	None	IPS	250nits	Anti- glare	16:9	1000:1	72% NTSC	60Hz	89°/89°/89°/89°	Borderless design (88% screen to body ratio), support low blue light mode
	21.5"	FHD (1920x1080)	Multi- touch	IPS	250nits	Anti- glare	16:9	1000:1	72% NTSC	60Hz	89°/89°/89°/89°	Borderless design (88% screen to body ratio), support low blue light mode

### Touchscreen

- Advanced In-cell Touch (AIT), supports 10-point touch
- Non-touch

### Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.



### **Input Device**

#### Keyboard\*\*

- Lenovo® Calliope Keyboard (USB connector), black
- Lenovo® Calliope Wireless Keyboard (2.4GHz via USB receiver), black
- Lenovo® Traditional Keyboard (USB connector), black
- · No keyboard

#### Mouse\*\*

- Lenovo® Calliope Mouse (USB connector), black
- Lenovo® Calliope Wireless Mouse (2.4GHz via USB receiver), black
- Lenovo® Fingerprint Mouse (USB connector), Windows® Hello support, black (EOL on Jan, 2023)
- No mouse

#### Mechanical

#### **Buttons**

- Microphone mute button
- Power button

#### **Form Factor**

AIO (21.5 inches)

#### Dimensions (WxDxH)[1]

490.1 x 55.6 x 312.3 mm (19.3 x 2.2 x 12.3 inches), no stand, with ODD, with camera

#### Weight<sup>[2]</sup>

8.1 kg (17.9 lbs) at maximum configuration

#### **Case Color**

Black

### Bays

- 1x 2.5" disk bay
- 1x slim ODD bay

### **Expansion Slots**

Two M.2 slots (one for WLAN, one for SSD)

#### **EOU**

Toolless cover and stand assembly / removal

#### Stand\*\*

- UltraFlex IV stand, supports -5° to +70° tilt, up to 164mm lift (flat mode) / up to 115mm lift (vertical mode)
- Full function monitor stand, supports -5° to +30° tilt, up to 80mm lift
- No stand

### **Mounting**

Supports VESA mount 100mm

#### **Others**

Supports Smart Power On

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

### CONNECTIVITY

### **Network**

### Onboard Ethernet

Gigabit Ethernet, Realtek® RTL8111K, 1x RJ-45, supports Wake-on-LAN

### **Optional Ethernet**

No optional Ethernet



### WLAN + Bluetooth®\*\*

- Realtek® RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth® 5.0, M.2 card
- Intel® Wireless-AC 9560, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth® 5.1, M.2 card
- Intel® Wi-Fi® 6 AX201, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.1, M.2 Card<sup>[1]</sup>
- No WLAN and Bluetooth®

#### Notes:

[1] Bluetooth® 5.2 is hardware ready but may run at a lower version due to OS limitations.

#### Ports<sup>[1]</sup>

#### **Rear Ports**

- 3x USB 3.2 Gen 1
- 1x DisplayPort™
- 1x Ethernet (RJ-45)

#### Optional Rear Ports\*\*

- 1x HDMI®
- 1x serial

### **Right Ports**

- 1x USB-C<sup>®</sup> 3.2 Gen 2 (support data transfer and 5V@3A charging)
- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 2
- 1x headphone / microphone combo jack (3.5mm)

### **Optional Right Ports**

1x card reader

# Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

### **Monitor Cable**

#### Monitor Cable\*\*\*

- DP to VGA dongle
- DP to dual DP dongle
- DP to DVI-D dongle
- DP to HDMI® dongle
- No monitor cable

### SECURITY & PRIVACY

### Security

### Security Chip

Discrete TPM 2.0, TCG certified

### **Physical Locks**

Kensington® Security Slot™, 3 x 7 mm

#### **Chassis Intrusion Switch**

- · Chassis intrusion switch
- · No chassis intrusion switch

#### **Fingerprint Reader**

- Touch style fingerprint reader on mouse (EOL on Jan, 2023)
- · No fingerprint reader



#### **Other Security**

(Optional) ThinkShutter camera cover

#### **BIOS Security**

- Administrator password
- Power-on password
- Hard disk password
- Boot sequence control
- Boot without keyboard and mouse
- · Self-healing BIOS
- Smart USB protection (allows keyboard / mouse only, blocks all storage devices)
- Individual USB port disablement

### **MANAGEABILITY**

### **System Management**

#### **System Management**

Non-vPro®

## **SERVICE**

# Warranty

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year limited onsite service
- · 3-year limited onsite service
- No base warranty

### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

## **ENVIRONMENTAL**

### **Operating Environment**

#### **Temperature**

Operating: 5°C (41°F) to 35°C (95°F)
 Storage: -20°C (-4°F) to 60°C (140°F)

### **Relative Humidity**

Operating: 20% to 80%

#### Altitude

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

### **CERTIFICATIONS**

### Green Certifications<sup>11</sup>

#### **Green Certifications**

- ENERGY STAR® 8.0
- EPEAT™ Silver Registered
- ErP Lot 3
- RoHS compliant
- TCO Certified 8.0
- TCO edge



#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

#### Other Certifications

#### **Other Certifications**

- (Optional) TÜV Rheinland® Ultra Low Noise
- TÜV Rheinland® Eye Comfort Certification
- TÜV Rheinland® Low Blue Light

#### Mil-Spec Test

MIL-STD-810H military test passed (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.























