

OVERVIEW



1. Power Connector	6. USB 3.1 Gen 1
2. HDMI 1.4	7. Audio line-out (3.5mm)
3. DP 1.2	8. USB 3.1 Gen 1
4. USB-C 3.1 Gen 1	9. USB 3.1 Gen 1 (BC)
5. USB 3.1 Gen 1	

PERFORMANCE

Panel

Panel

3-side NearEdgeless, In-Plane Switching

Display Size

23.8 inches

Max View Area

WxH: 526.85 x 296.35 mm

Resolution

2560 x 1440

Aspect Ratio

16:9

Pixel Pitch

0.2058 x 0.2058 mm

Dot / Pixel Per Inch

123 dpi

Brightness

300 nits

Contrast Ratio

- Contrast Ratio: 1000:1
- Dynamic Contrast Ratio: 3M:1

View Angle (H / V)

Horizontal: 178°, Vertical: 178°

Response Time

- Extreme Mode: 4 ms
- Normal Mode: 6 ms

Refresh Rate

60 Hz

Color Gamut

99% sRGB

Color Support

16.7 Million

Anti-glare

Support

Operating System

Operating System

- Windows® 7 Support
- Windows 10 Support

Multi-Media

Speakers

Optional Soundbar support (PN: 0A36190)

Power Supply

Power Consumption

- Typical / Max: 23W / 120W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Energy Star Power On: 16.36W
- Energy Star TEC: 53.37kWh
- Internal Power Supply

Voltage Required

AC 100 to 240 V (47-63Hz)

Special Features**Special Features**

Smart Power

The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device

DESIGN**Mechanical****Bezel Width**

- Side: 2mm
- Top / Bottom: 2mm / 24.1mm

Cable Management

Support

Case Color

Raven black

Dimensions (WxDxH)^[1]

Models	Dimensions
Highest Position	539.8 x 205 x 570 mm (21.25 x 8.07 x 22.44 inches)
Lowest Position	539.8 x 205 x 420 mm (21.25 x 8.07 x 16.54 inches)
Head Only	539.8 x 44.6 x 325.7 mm (21.25 x 1.76 x 12.82 inches)

Packaging Dimensions (WxDxH)

423 x 620 x 149 mm (16.7 x 24.4 x 5.9 inches)

Weight^[2]

Models	Weight
Monitor With Stand	6.18 kg (13.6 lbs)
Monitor Head Only	3.85 kg (7.89 lbs)

Packaging Weight

8.1 kg (17.86 lbs)

Mounting

Supports VESA mount 100mm

Stand

Supports -5° to +35° tilt, left & right 45 swivel, -90° to +90° pivot, up to 150mm lift

In the Box

- Monitor with Stand
- 1x Power cable (1.8m)
- 1x DP Cable (1.8m) (NA only)
- 1x USB-C® to USB-C Cable (1.8m)
- 1x USB-C to USB-A Cable (1.8m) (NA only)
- Quick Setup Guide

Notes:

1. The system dimensions vary depending on configurations.
2. The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY**Ports**

Rear Ports¹⁾

- 1x USB-C 3.1 Gen 1 (DP 1.2 Alt Mode, data transfer, up to 75W), USB upstream
- 1x HDMI® 1.4
- 1x DisplayPort™ 1.2
- 4x USB 3.1 Gen 1 (1x BC), USB downstream
- 1x audio-out (3.5mm)
- 1x Power Connector

Notes:

1. Up to 75W power delivery to compatible devices by USB-C. Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

SECURITY & PRIVACY**Security****Physical Locks**

Kensington® Security Slot™

SERVICE**Warranty****Base Warranty**

3-year courier or carry-in service

CERTIFICATIONS**Green Certifications****Green Certifications**

- EPEAT™ Silver
- Energy Star Certified
- TCO Certified 8.0
- TCO edge 2.0
- RoHS compliant

Other Certifications**Other Certifications**

TÜV Rheinland® Eye Comfort Certification

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. **LENOVO PROVIDES THIS PUBLICATION “AS IS,” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

