

**OVERVIEW**



1. DP 1.2	6. USB 3.0
2. HDMI 1.4	7. USB 3.0
3. VGA	8. USB 3.0
4. USB-B 3.0	9. USB 3.0 (1x BC)
5. Audio line-out (3.5mm)	

## PERFORMANCE

### Panel

#### Panel

In-Plane Switching (IPS)

#### Display Size

27 inches

#### Max View Area

WxH: 597.89 x 336.31 mm

#### Resolution

1920 x 1080

#### Aspect Ratio

16:9

#### Pixel Pitch

0.311 x 0.311 mm

#### Dot / Pixel Per Inch

82 dpi

#### Brightness

250 nits

#### Contrast Ratio

- Contrast Ratio: 1000:1
- Dynamic Contrast Ratio: 3M:1

#### View Angle (H / V)

Horizontal: 178°, Vertical: 178°

#### Response Time

- Extreme Mode: 4 ms
- Normal Mode: 6 ms

#### Refresh Rate

60 Hz

#### Color Gamut

72% NTSC

#### Color Support

16.7 Million

#### Anti-glare

Support

### Operating System

#### Operating System

- Windows® 7 Support
- Windows 10 Support

### Multi-Media

#### Speakers

Optional Modular Soundbar support

### Power Supply

#### Power Consumption

- Typical / Max: 22W / 58W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Internal Power Supply

## DESIGN

## Mechanical

### ThinkCentre® M Series Support

ThinkCentre M Series Tiny

For supporting Tiny devices, additional Tiny monitor clamp (PN: 4XFON82412) and Tiny VESA mount (PN: 4XFON03161) are needed (sold separately).

### Bezel Width

Side: 2mm

### Cable Management

Support

### Case Color

Raven black

### Dimensions (WxDxH)<sup>[1]</sup>

Models	Dimensions
Highest Position	611.9 x 269.8 x 513.3 mm (24.09 x 10.62 x 20.21 inches)
Lowest Position	611.9 x 269.8 x 403.3 mm (24.09 x 10.62 x 15.88 inches)
Head Only	611.9 x 49.9 x 366.5 mm (24.09 x 1.96 x 14.43 inches)

### Packaging Dimensions (WxDxH)

715 mm x 187 x 455 mm (28.15 x 7.362 x 17.913 inches)

### Weight<sup>[2]</sup>

Models	Weight
Monitor With Stand	6.55 kg (14.44 lbs)
Monitor Head Only	4.6 kg (10.14 lbs)

### Packaging Weight

9.32 kg (20.55 lbs)

### Mounting

Supports VESA mount 100mm

### Stand

Supports -5° to +30° tilt, left & right 45 swivel, 90° pivot, up to 110mm lift

### In the Box

- Monitor with Stand
- 1x Power cable
- 1x DP Cable
- 1x HDMI® Cable (NA only)
- 1x VGA Cable
- 1x USB 3.0 Cable
- Quick Setup Guide

### Notes:

1. The system dimensions vary depending on configurations.
2. The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Ports

#### Rear Ports

- 1x HDMI 1.4
- 1x DisplayPort™ 1.2
- 1x VGA
- 1x USB-B 3.0, USB upstream
- 4x USB 3.0 (1x BC), USB downstream
- 1x audio-out (3.5mm)

- 1x Power Connector

## SECURITY & PRIVACY

### Security

#### Physical Locks

Kensington® Security Slot™

## SERVICE

### Warranty

#### Base Warranty

3-year courier or carry-in service

## CERTIFICATIONS

### Green Certifications

#### Green Certifications

- EPEAT™ Silver
- ENERGY STAR® Certified
- TCO Certified 8.0
- ULE Gold

### Other Certifications

#### Other Certifications

TÜV Rheinland® Eye Comfort Certification

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION “AS IS,” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

